2015 Consumer Confidence Report Creekbridge Mutual Water Company June 28, 2016

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 – December 31, 2015.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

Type of water source: The water used in Creekbridge Water Company consisted of one ground water well located east of the Creekbridge subdivision.

Drinking Water Source Assessment: A source assessment was conducted for the Well 01 of the Creekbridge Mutual Water Company water system in August 2002. Well 01 is considered most vulnerable to high-density septic systems and storm drain discharge points. These activities are associated with the contaminate nitrate, which has been detected in the water supply. In addition, Well 01 is considered vulnerable to the following activity not associated with any detected contaminants: transportation corridors – roads/streets.

For more information, contact: MCSI Water Systems Management Phone: (831) 659-5360

Fax: (831) 659-3166

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Water Quality Data Tables

The tables below list all of the drinking water contaminants that we detected during the most recent sampling for the constituent. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA									
Microbiological Contaminants (units)	Highest # Detected in a Month	# Of Months in Violation	MCL	MCLG	Typical Source				
Total Coliform, Bacteria	0	0	More than 1 sample in a month with a detection	0	Naturally present in the environment				
Fecal Coliform/E coli	0	0	A routine sample and repeat sample detect total coliform and either sample also detects fecal coliform or E. coli	0	Human & animal fecal waste				

SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER										
Contaminant(s) (units)	Number of Site Collected	PHG	AL	90 th Percentile Level Detected	# of Samples > Al	Date	Typical Source			
Copper (ppm)	5	0.17	1.3	0.123	0	8/2013	Erosion of natural deposits; leaching from wood preservatives; internal corrosion of household plumbing systems			
Lead (ppb)	5	0.2	15	ND	0	8/2013	Internal corrosion of household plumbing systems; erosion of natural deposits			

SAMPLE RESULTS SHOWING DISINFECTION BYPRODUCTS									
Contaminant(s) (units) PHG/ (MCLG) MCL Level Sample Date Typical Source									
Total Trihalomethanes (ppb)	N/A	80	2.3	8/2015	Erosion of natural deposits; runoff from orchards, glass and electronics production wastes				
Total Haloacetic Acids (ppb)	N/A	60	ND	8/2015	Discharge of oil drilling wastes and from metal refineries; erosion of natural deposits				

SAMPLING RESULTS SHOWING THE DETECTION OF RADIOACTIVITY										
Contaminant(s) (units) PHG/ (MCLG) MCL Level Sample Detected Date Typical S										
Gross Alpha (pCi/L)	(0)	15	5.88	6/2010	Erosion of natural deposits					
Uranium (pCi/L)	0.43	20	4.91	2006	Erosion of natural deposits					

DETECT	DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD									
Contaminant(s) (units)	PHG/ (MCLG)	MCL	Level Detected AVG	Sample Date	Typical Source					
Arsenic (ppb)	0.004	10	2	5/2014	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes					
Barium (ppm)	2	1	0.02	5/2014	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits					
Chromium –Total (ppb)	(100)	50	18	5/2014	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits					
Hexavalent Chromium (ppb)	0.02	10	7.7	5/2014	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits					
Fluoride (ppm)	1	2	0.3	5/2014	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories					
Nitrate (as N) (ppm)	10	10	2.2	12/2015	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits					
Nitrite (as N) (ppm)	1	1	0.4	5/2014	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits					
Selenium (ppb)	30	50	5	5/2014	Discharge from petroleum, glass and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)					

DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD										
Contaminant(s) (units)	PHG/ (MCLG)	MCL	Level Detected	Sample Date	Typical Source					
Chloride (ppm)	N/A	500	98	5/2014	Runoff/leaching from natural deposits; sea water influence					
Copper (ppm)	N/A	15	5	5/2014	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives					
Iron (ppb)	N/A	300	28	5/2014	Leaching from natural deposits; industrial wastes					
Odor (units)	N/A	3	1	5/2014	Naturally-occurring organic materials					
Specific Conductivity	N/A	1600	1332	5/2014	Substances that form natural deposits; sea water influence					
Sulfate (ppm)	N/A	500	233	5/2014	Runoff/leaching from natural deposits; industrial wastes					
Total Dissolved Solids (ppm)	N/A	1000	808	5/2014	Runoff/leaching from natural deposits					
Turbidity (NTU)	N/A	5	0.15	5/2014	Soil runoff					
Zinc (ppm)	N/A	5	0.021	5/2014	Runoff/leaching from natural deposits; industrial wastes					

OTHER SUBSTANCES OF INTEREST									
Chemical or Constituent (units)	PHG (MCLG)	MCL	Level Detected	Sample Date	Typical Source				
Alkalinity as CaCO3 (ppm)	N/A	N/A	320	5/2014	Generally found in ground and surface water				
Sodium (ppm)	N/A	N/A	147	5/2014	Salt present in the water and is generally naturally-occurring				
Total Hardness (ppm)	N/A	N/A	430	5/2014	Sum of polyvalent cations present in the water, generally magnesium and calcium and are usually naturally-occurring				
рН	N/A	N/A	7.7	5/2014	A measurement of acidity, 7.0 being neutral				

Additional Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (1-800-426-4791).

Lead Informational Statement: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing Creekbridge Mutal Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/lead.

Monitoring and reporting violations:

None

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Violation of Ground Water TT

None

For Systems Providing Ground Water as a Source of Drinking Water

SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES									
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Sample Dates MCL [MRDL] MCL (MCLG) [MRDLG] Typical Source of Contaminant									
E. coli	(In the year)/0	None	0	(0)	Human and animal fecal waste				

System Improvements and Updates:

• Maggiora Bros. Drilling is responsible for repairs daily operations. Please contact them at (831) 734-1338 for details.

Conservation and Drought Tips:

Contact MCSI at (831) 659-5360 or the Water Awareness Committee at www.waterawareness.org